



Product Service

CERTIFICATE

No. Z1 095063 0004 Rev. 00

Holder of Certificate: **Di Martino S.p.A.**Via Pavane 1
36065 Mussolente (VI)
ITALY**Certification Mark:****Product:****Liquid sprayer
(Lever-operated knapsack sprayers and
compression sprayers)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: MES1113595ATR**Valid until:** 2023-10-07**Date,** 2018-11-07
(GIANPAOLO MENSA)



Product Service

CERTIFICATE

No. Z1 095063 0004 Rev. 00

Model(s):

MARY 5, GAMMA 5, LADY 7, GAMMA 7, MARY 10, GAMMA 10, GARDEN 5, GARDEN 7, GARDEN 10, STILLA 5, STILLA 10, DIVA 6, DIVA 8, DIVA 12, JENNY 6, JENNY 8, JENNY 12, ROSY 12, ROSY 16, ROSY 22, MIURA 12, MIURA 16, MIURA 22, GARDEN 12, GARDEN 15, GARDEN 22, OLIMPIA 12, OLIMPIA 18, UNIQA, MITIQA.

Model	Total Weight – Empty [kg]	Maximum capacity [l]	Operating Pressure [bar]	Container Material	Supporting Manner
MARY 5 +V	1.4	5.80	1; 2; 3	HD PE	on the shoulder
GAMMA 5+V	1.4	5.80	1; 2; 3	HD PE	on the shoulder
LADY 7+V	1.8	7.95	1; 2; 3	HD PE	on the shoulder
GAMMA 7+V	1.8	7.95	1; 2; 3	HD PE	on the shoulder
MARY 10+V	2.0	10.75	1; 2; 3	HD PE	on the shoulder
GAMMA 10+V	2.0	10.75	1; 2; 3	HD PE	on the shoulder
GARDEN 5+V	1.3	5.65	1; 2; 3	HD PE	on the shoulder
GARDEN 7+V	1.5	7.05	1; 2; 3	HD PE	on the shoulder
GARDEN 10+V	1.8	10.75	1; 2; 3	HD PE	on the shoulder
STILLA 5+V	1.3	5.65	1; 2; 3	HD PE	on the shoulder
STILLA 10+V	1.8	10.75	1; 2; 3	HD PE	on the shoulder
DIVA 6+V	1.8	6.25	1; 2; 3	HD PE	on the shoulder
DIVA 8+V	2.0	8.75	1; 2; 3	HD PE	on the shoulder



Product Service

CERTIFICATE

No. Z1 095063 0004 Rev. 00

Model	Total Weight – Empty [kg]	Maximum capacity [l]	Operating Pressure [bar]	Container Material	Supporting Manner
DIVA 12+V	2.2	11.30	1; 2; 3	HD PE	on the shoulder
JENNY 6+V	1.8	6.25	1; 2; 3	HD PE	on the shoulder
JENNY 8+V	2.0	8.75	1; 2; 3	HD PE	on the shoulder
JENNY 12+V	2.2	11.30	1; 2; 3	HD PE	on the shoulder
ROSY 12+V	3.1	14.15	1; 2; 3	HD PE	on the back
ROSY 16+V	3.2	17.95	1; 2; 3	HD PE	on the back
ROSY 22+V	3.4	22.89	1; 2; 3	HD PE	on the back
MIURA 12+V	3.1	13.0	1; 2; 3	HD PE	on the back
MIURA 16+V	3.2	15.50	1; 2; 3	HD PE	on the back
MIURA 22+V	3.4	22.00	1; 2; 3	HD PE	on the back
GARDEN 12+V	2.9	11.60	1; 2; 3	HD PE	on the back
GARDEN 15+V	3.1	14.25	1; 2; 3	HD PE	on the back
GARDEN 22+V	3.4	20.25	1; 2; 3	HD PE	on the back
OLIMPIA 12+V	2.9	11.85	1; 2; 3	HD PE	on the back
OLIMPIA 18+V	3.0	18.35	1; 2; 3	HD PE	on the back
UNIQA+V	3.7	17.50	1; 2; 3	HD PE	on the back
MITIQA+V	3.7	17.50	1; 2; 3	HD PE	on the back

V: Variant provides for adoption of different models of knob, extension and delivery jet (flow opening and closing device)



Product Service

CERTIFICATE

No. Z1 095063 0004 Rev. 00

Parameters:

Operating pressure: 1, 2, 3 bar
Container material: HD PE

Tested according to: EN ISO 19932-1:2013
EN ISO 19932-2:2013

Production Facility(ies): 095064